

MIRO™ HARDWARE



Contemporary Style



 Enduratec™ Finish Technology  AS1428.1-2021 Compliant

 BAL-40 Tested


D-Pull Sliding Door Handle

Bold and stylish, the MIRO™ sliding door handle offers simplicity and practicality with its soft rounded edges. The handle is disability access compliant.

Featuring Enduratec™ Finish Technology, it's extremely durable, minimising fingerprints and scratches. Ideal in coastal areas. Available in black, white and silver.

Suitable for use with:

- 758** High Performance Sliding Door
- 759** ComfortEDGE™ Sliding Door
- 618** MAGNUM™ Sliding Door
- 50** Commercial Door (Single Beaded)
- 51** Light Commercial Door
- 52** Commercial Door (Double Beaded)
- 702** SlideMASTER™ Sliding Door (External Sliding)
- 704** SlideMASTER™ Sliding Door (Internal Sliding)
- 704R** SlideMASTER™ Sliding Door (Recessed)
- 704B** SlideMASTER™ Sliding Door (Bottom Rolling)
- 704T** SlideMASTER™ Sliding Door (Top Hung)
- 731** Thermally Broken Sliding Door
- 852S** Thermally Broken Sliding Door



Height 325mm
Width 61mm
Depth 54mm
Part 92020


Single Point Sliding Door Lock

Bold in design with modern, curved lines, the MIRO™ Sliding Door Lock mounts on the door and offers an integrated single point lock, delivering a solid and functional statement to any surrounding.

The textured matt exterior and Enduratec™ Finish Technology make it simple to use and maintain as well as a perfect choice for harsh environments. Available in black, white and silver.

Suitable for use with:

- 541 Residential Sliding Door
- 542 Residential Stacking Sliding Door
- 758 High Performance Sliding Door
- 759 ComfortEDGE™ Sliding Door
- 618 MAGNUM™ Sliding Door
- 442 Commercial Stacking Sliding Door
- 642 Commercial Stacking Sliding Door
- 471 Apartment Sliding Door
- 704 SlideMASTER™ Sliding Door (Internal Sliding)
- 704R SlideMASTER™ Sliding Door (Recessed)
- 704B SlideMASTER™ Sliding Door (Bottom Rolling)
- 704T SlideMASTER™ Sliding Door (Top Hung)



Height 235mm
Width 100mm
Depth 47mm

Part 92025



MIRO™ HARDWARE



Enduratedec™ Finish Technology



AS1428.1-2021 Compliant



BAL-40 Tested

Hinged Door Lock

With its contemporary curved styling, this handle has an elegant return for smooth operation.

Not only stylish, the handle is disability access compliant and uses Enduratedec™ Finish Technology to maximise durability and simplicity.


Available as:

- 2-point lock – single locking
Part 92001
- 4-point lock – multi locking
Part 92002
- lever compression locking

Available in black, white and silver.

Suitable for use with:

- | | |
|-----|--|
| 548 | High Performance Bi-fold Door |
| 549 | Hinged Entry Door |
| 50 | Commercial Door (Single Beaded) |
| 51 | Light Commercial Door |
| 52 | Commercial Door (Double Beaded) |
| 410 | FoldMASTER™ Bi-fold Door (Bottom Rolling) |
| 411 | FoldMASTER™ Bi-fold Door (Top Hung) |
| 412 | ViewMASTER™ Bi-fold Door (Bottom Rolling) |
| 650 | Architectural Hinged Door |
| 729 | Thermally Broken Hinged Door |
| 730 | Thermally Broken Bi-fold Door |
| 831 | Thermally Broken Bi-fold Door (Top Hung) |
| 832 | Thermally Broken Bi-fold Door (Bottom Rolling) |
| 852 | Thermally Broken Hinged Door |



Height 223mm
Width 56mm
Handle 134mm
Depth 56mm

MIRO™ HARDWARE



Bi-fold Operator


The contemporary design and matt black styling offers a clean and functional finish for bi-fold windows and doors.

The simplicity of the design coupled with its incorporation of Enduratec™ Finish Technology makes it durable and easy to maintain.

Available in black, white and silver.


Suitable for use with:

- 546** High Performance Bi-fold Window
- 548** High Performance Bi-fold Door
- 410** FoldMASTER™ Bi-fold Door (Bottom Rolling)
- 411** FoldMASTER™ Bi-fold Door (Top Hung)
- 412** ViewMASTER™ Bi-fold Door (Bottom Rolling)
- 730** Thermally Broken Bi-fold Door
- 831** Thermally Broken Bi-fold Door (Top Hung)
- 832** Thermally Broken Bi-fold Door (Bottom Rolling)



Height 149mm
Width 27mm
Depth 15mm

Key Lock 92009
Non Keyed 92008



Recessed Flush Pull

A sleek, understated addition to your sliding door, the MIRO™ Recessed Flush Pull incorporates a gently curved faceplate with scalloped highlights.

The recessed pull enables easy door operation without interfering with blinds or curtains.

Available in black, white and silver.

Suitable for use with:

- 758

High Performance Sliding Door
- 759

ComfortEDGE™ Sliding Door
- 618

MAGNUM™ Sliding Door
- 702

SlideMASTER™ Sliding Door (External Sliding)
- 704

SlideMASTER™ Sliding Door (Internal Sliding)
- 704R


SlideMASTER™ Sliding Door (Recessed)
- 704B

SlideMASTER™ Sliding Door (Bottom Rolling)
- 704T

SlideMASTER™ Sliding Door (Top Hung)
- 731

Thermally Broken Sliding Door
- 852S

Thermally Broken Sliding Door



Height 230mm
Width 45mm
Depth 2mm
Part 92038



Sliding Window Lock

A compact, streamlined window lock with recessed finger grab for a neat, flush finish. Push handle tab into body to slide window open or closed. Key lockable for security and peace of mind. Matt finish with Enduratec™ Finish Technology delivers up to 10 times the corrosion resistance compared to traditional powder coating.

Available in black, white and silver.

Suitable for use with:

- 752

High Performance Sliding Window
- 601


Designer Sliding Window
- 602

Designer Sliding Window
- 461

Apartment Sliding Window
- 462

Architectural Sliding Window
- 662

Architectural Sliding Window



Height 190mm
Width 24mm
Depth 7mm
Part 92039



Single Chainwinder

Featuring a textured matt finish and AWS' exclusive Enduratec™ Finish Technology, this is the ideal solution for use in harsh environmental applications. Incorporating a key lock system and indicator, the indicator allows you to see whether the winder is locked or unlocked at a glance.

Integrated within the body is a Safe4Kids™ restriction option that limits how wide the window can open to minimise the risk of falls.


Available in black, white and silver.

Suitable for use with:

- 516 Residential Awning Window
- 517 Residential Awning Window
- 756 High Performance Awning Window
- 755 ComfortEDGE™ Awning Window
- 616 MAGNUM™ Awning Window
- 456 Commercial Awning Window
- 665 Commercial Awning Window
- 466 Architectural Awning Window
- 726 Thermally Broken Awning Window



Height 41mm
Width 278mm
Depth 45mm
Part 93076



Accessibility Focused



Optional Special Access Lever (SAL) handle available to improve operability for those with reduced dexterity and comply with AS1428.1:2021.

Part 93084

Twin Chainwinder

The MIRO™ Twin Chainwinder delivers a reliable and durable solution for even our largest awning window systems. The wider span allows greater flexibility in awning window design.

Like the MIRO™ Single Chainwinder, it incorporates Enduratedec™ technology to maximise durability and capability in coastal applications and other harsh environmental conditions.


Available in black, white and silver.

Suitable for use with:

- 516** Residential Awning Window
- 517** Residential Awning Window
- 756** High Performance Awning Window
- 755** ComfortEDGE™ Awning Window
- 616** MAGNUM™ Awning Window
- 456** Commercial Awning Window
- 665** Commercial Awning Window
- 466** Architectural Awning Window
- 726** Thermally Broken Awning Window



Height 34.5mm
Width 499.5mm
Depth 48mm
Part 93118




Accessibility Focused



Optional Special Access Lever (SAL) handle available to improve operability for those with reduced dexterity and to comply with AS1428:2021 Section 13.5 (Disability Access) and Livable Housing Guidelines.

Part 93123

MIRO™ HARDWARE COLOUR RANGE



MIRO™ HARDWARE COLOUR RANGE



ANDO™

	50/52	442	452	453	456	461	471	642	665	804	831	832	852	824	826
Single Point Sliding Door Lock		●					●	●							
Twin Point Sliding Door Lock		●					●	●							
Slimline Sliding Door Lock		●					●	●							
Sliding Door Handle	●												●		
Hinged Door Lock (2-point)	●										●	●	●		
Hinged Door Lock (4-point)	●										●	●	●		
Lever Compression Lock	●										●	●	●		
Bi-fold Operator											●	●			
Extruded Pull Handle															
Sliding Window Lock						●									
Double Hung Lock				●											
Recessed Finger Pull															
Manual Chainwinder					●				●						
Twin Chainwinder					●				●						

ICON™

Sliding Door Handle	●												●		
Hinged Door Lock (2-point)	●										●	●	●		
Hinged Door Lock (4-point)	●										●	●	●		
Lever Compression Lock	●										●	●	●		
Bi-fold Operator											●	●			
Casement Latch					●										
Recessed Flush Pull													●		
Sliding Window Lock						●									
ISEO Mortice Lock															

MIRO™


D-Pull Sliding Door Handle	●												●		
Single Point Sliding Door Lock		●					●	●							
Hinged Door Lock	●										●	●	●		
Lever Compression Lock	●										●	●	●		
Bi-fold Operator											●	●			
Recessed Flush Pull													●		
Single Chainwinder					●				●						
Twin Chainwinder					●				●						
Sliding Window Lock						●									

Truth™ Winder									●					●	●
Truth™ Casement Winder															
Meeting Stile Mortice Lock															
Flush Pull Handle															
Lift Slide Handle															
Performance Side Latch					●				●		●			●	
Sliding Window Handle Lock															

Colour

ANDO™ hardware is available colour matched to a range of powder coat colours.


Standard Colours




Pearl White
GLOSS 1004




APO Grey
SATIN 1001



Dune®
MATT 1010




Citi
PEARL MATT 4026




Magnolia
GLOSS 2012



Pottery
SATIN 2017



Custom Black
MATT 1002



Monument®
MATT 1011



Woodland Grey®
MATT 1008




Silver Medallist
PEARL SATIN 4028




Stone Beige
MATT 2031




Dark Grey
MATT 2005



Surfmist®
MATT 1013




Primrose
GLOSS 1005




Paperbark®
MATT 1012



Precious Silver Pearl
PEARL SATIN 4030



Hammersley Brown
SATIN 2008



Silver Grey
MATT 2021

🔩 Colour Matched Hardware Available

NOTE The finishes displayed on this page are a guide only and may not be actual representations of the actual finish. For powder coat samples, you can order samples from the colour page on the Vantage or Elevate website. Your local Vantage and Elevate supplier may also have samples by request. For custom powder coat requests, see your local fabricator for more information.

Care & Maintenance

Powder Coated Hardware

Like any other painted surface, powder coated hardware performs at its best when it is properly cared for. Keeping the surface free from pollutants and environmental contaminants will give you the maximum benefit and long-lasting performance from your powder coated surface. This is particularly important in harsh locations such as beachfronts, severe marine environments or areas of high industrial pollution.

Recommended cleaning

Gentle cleaning with a soft brush and mild detergent, followed by a fresh water rinse, will maintain the long-term performance of your powder coated products. In rural or normal urban environments, cleaning should occur every six (6) months.

In particularly harsh locations such as beachfronts, severe marine environments or areas of high industrial pollution, cleaning should occur every three (3) months.

Do not use strong solvents, abrasive cleaning products or any product recommended for thinning paints. If you need to remove splashed paint, sealants or mastics from your powder coated products, use white spirits, carry out cleaning in shade and during cooler temperatures using a soft cloth and gentle wiping only.

We recommend that prior to using any cleaning agent on your hardware, you test a small non-visible area of your powder coated product to ensure that no visual colour change or damage will occur.

Stainless Steel Hardware

Stainless steels are very resistant to rust, however this does not mean that they are immune to it. Stainless steel will rust, and must be kept clean and free from contaminants. Frequent cleaning is a requirement. Stainless steel will develop discolouration, rust spots, and corrosion brought about by environmental and installation conditions.

Environments with exposure to the following substances should be avoided:

- Chlorine based (bleach) products and cleaners.
- Hydrochloric acid (commonly used for tile and concrete cleaning).
- Cement dust.
- Soap concentrates.
- Water with high iron content (i.e. bore water).

Removing tea staining & marks

One of the advantages of stainless steel hardware is that any rust spots can be easily removed and generally the product will return to its “new” state with appropriate cleaning. Most discolouration can be removed with a mildly abrasive cleaner (Ajax, Jif, Brasso etc.). Heavier corrosion and rust can be removed using a Scotch-Brite™ pad or stainless steel scourer. Do not use steel wool, as this will leave residues of steel which will rust. After cleaning, the product should be rinsed free of all cleaning product residue with fresh water.

With proper maintenance, stainless steel will maintain its lustre and appearance indefinitely.

Hardware Warranty

All hardware products supplied by AWS are covered by supplier warranties. The specific details of product warranty vary between ranges. In general, the following warranty considerations apply:

Hardware items are warranted to be free from defects in material and workmanship for a period of six (6) years from the date of purchase.

Various exclusions may apply, including but not limited to:

- Misuse, abuse, accidental or intentional damage, improper or negligent adjustment or operation by the purchaser
- Improper or negligent maintenance or installation
- Inaccurate or incorrect site or operational specifications
- Repair or modification
- Use contrary to the manufacturer's instructions
- Use of replacement parts other than authorised parts
- ‘Tea staining’ on stainless steel
- Corrosion related damage
- Tarnish or wear on soft finishes

Please speak with your fabricator to request a copy of the appropriate product warranty for the hardware items you choose.





Hardware solutions for your windows & doors.

For more information and to find your local Vantage® suppliers:

vantagewindows.com.au

For design inspiration & tips, follow us:

 [vantagewindowsaus](https://www.instagram.com/vantagewindowsaus)

 [vantageaustralia](https://www.facebook.com/vantageaustralia)



ABN 48 067 950 903

HEAD OFFICE

76-78 Jedda Road,
Prestons NSW 2170

PO BOX 311
Liverpool NSW 1871

HAVE QUESTIONS?

Call us at 1300 026 189 or email marketing@awsaustralia.com.au

